



		A				B				C				D				E				F				G				H			
		5589/576				Locking, random				Weight 520g/1.2kg				5589/375				Non-locking				5589/378				Locking, alike							
METRIC (mm)		125				145				90.0				105				15.0				42.0				101				4.75			
IMPERIAL (ins)		4.92				5.71				3.54				4.13				0.59				1.65				3.98				0.19			



		A				B				C				D				E				F				G				H																											
		4212/001				Non-locking				Weight 460g/1lb				4212/002				Locking (Random keyed)				4212/707				Locking (Keyed alike)																															
METRIC (mm)		165				165				145				41				15				20				27				4.7																											
IMPERIAL (ins)		6.5				6.5				5.71				1.61				0.59				0.79				1.06				0.19																											
		3202/001				Dish, LH				Weight 200g/7.1oz				3202/002				Dish, RH				3202/003				Handle, non locking				Weight 220g/7.8oz																											
		3202/004				Handle, locking				Weight 290g/10.2oz				METRIC (mm)				155				167				150				49				17				22				35				4.5											
		IMPERIAL (ins)				6.10				6.58				5.91				1.93				0.67				0.87				1.38				0.18																							
		5589/353				Locking (random)				Weight 500g/1.1lb				5589/355				Locking (keyed alike)				METRIC (mm)				162				162				148				33				18				22				26				5			
		IMPERIAL (ins)				6.38				6.38				5.83				1.30				0.71				0.87				1.02				0.2																							

Left-3202/001 & 004 Centre-5589/353 Right-4212/002

NB. 4212 & 3202, fixing holes in flange. 5589, fixing holes in pan. 4212 & 5589 are universal (ie. not handed)



		A				B				C				D				E				F				G				H																											
		6212/0011				Mixed keys				Weight 290g/10.2oz				6212/0021				Keyed alike				METRIC (mm)				126				157				90				108				11				41				3				5.5			
		IMPERIAL (ins)				4.96				6.18				3.54				4.25				0.43				1.61				0.12				0.22																							

		A	B	C	D	E	F	G	H
0857/1000					Weight 480g/1.1lb				
METRIC (mm)		130	119.8	76.4	81.2	9.7	5.0	*	
IMPERIAL (ins)		5.12	4.72	3.00	3.20	0.38	0.20		

		A	B	C	D	E	F	G	H
0857/2005					Weight 430g/15.2oz				
METRIC (mm)		130	119.8	76.4	81.2	9.7	5.0	55.0	
IMPERIAL (ins)		5.12	4.72	3.00	3.20	0.38	0.20	2.17	

		A	B	C	D	E	F	G	H
5589/0100		Mixed keys			Weight 628g/1.4lb				
5589/0200		Keyed alike			Weight 628g/1.4lb				
METRIC (mm)		150	120	8.00	72.0	55.0	28.0	5.00	100
IMPERIAL (ins)		5.91	4.72	0.32	2.84	2.17	1.10	0.20	3.94





		RECESSED DROP 'T' LATCH							
		Polished 304 stainless steel dish with a chrome plated die-cast 'T'. Zinc plated steel tongue & support bracket. Complete with EPDM gasket. 'M' = 45mm to 60mm. For rod lock system refer page d15.							
		A	B	C	D	E	F	G	H
0863/101	LH, keyed alike	Weight 700g/1.5lb							
0863/102	RH, keyed alike	Weight 700g/1.5lb							
0863/111	LH, keyed random	Weight 700g/1.5lb							
0863/112	RH, keyed random	Weight 700g/1.5lb							
METRIC (mm)		120	124	32.0	1.50	69.0	95.0	72.0	68.0
IMPERIAL (ins)		4.72	4.88	1.26	0.02	2.72	3.74	2.84	2.68



		RECESSED DROP-'T' HANDLE							
		(See also three way rod lock system, page d15). Dimension X is variable from 43mm to 55mm.							
		A	B	C	D	E	F	G	H
5589/548	Zinc plated Locking, keyed random	Weight 730g/1.6lb							
5589/549	Stainless steel pan/zinc-plated handle Locking, keyed random								
5589/540	Stainless steel pan/zinc-plated handle Locking, keyed alike								
METRIC (mm)		120	125	95	69	68	30	40	7.5
IMPERIAL (ins)		4.72	4.92	3.74	2.72	2.68	1.18	1.58	0.30



		RECESSED COMPARTMENT LOCK							
		Black plastic case, die-cast cam, c/w inside cover plate, sponge seal and 2 keys.							
		A	B	C	D	E	F	G	H
1199/001	Locking	Weight 140g/5oz							
METRIC (mm)		44	3	61	19	24	80	80	
IMPERIAL (ins)		1.73	0.12	2.4	0.75	0.95	3.15	3.15	