



		A	B	C	D	E	F	G	H
<b>9500/5104</b>		Keyed alike				Weight 240g/8.5oz			
<b>9500/5105</b>		Keyed in pairs				Weight 240g/8.5oz			
METRIC	(mm)	190	52.0	41.0	19.0	100	38.0	120	22.5
IMPERIAL	(ins)	7.48	2.05	1.61	0.75	3.94	1.50	4.72	0.89



		A	B	C	D	E	F	G	H
<b>5589/409</b>		Weight 375g/13.2oz							
METRIC	(mm)	184	152	42.0	82.0	54.0	67.0	6.30	13.3
IMPERIAL	(ins)	7.24	5.98	1.65	3.23	2.13	2.64	0.25	0.52



		A	B	C	D	E	F	G	H
<b>4222</b>		Descriptions below				Weight 240g/8.5oz			
METRIC	(mm)	100	45	113	9	15			
IMPERIAL	(ins)	3.94	1.77	4.45	0.35	0.59			
<b>4222/606</b>		Fixing gasket							

PART NUMBER	FINISH	HOLES CENTRES	KEYED
4222/101	Chrome plate	38mm (1.5")	Non
4222/202	Chrome plate	38mm (1.5")	Random
4222/303	Chrome plate	38mm (1.5")	Alike
4222/404	Chrome plate	44.5mm (1.75")	Non
4222/414	Black epoxy	44.5mm (1.75")	Non
4222/505	Chrome plate	44.5mm (1.75")	Random
4222/515	Black epoxy	44.5mm (1.75")	Random
4222/707	Chrome plate	44.5mm (1.75")	Alike

		<b>LEVER HANDLE</b>							
		Chrome plated. 8mm follower. 38mm (1.5") hole centres.							
		A	B	C	D	E	F	G	H
<b>5589/365</b>		<b>Locking, random keyed.</b>							
<b>5589/370</b>		<b>Non-locking (concealed fixing)</b>							
METRIC	(mm)	105	41	115	10	14			
IMPERIAL	(ins)	4.13	1.61	4.53	0.4	0.55			



		<b>LEVER HANDLE</b>							
		Chrome plated, 8mm follower c/w fixing gasket. Locking (4 station) with 2 keys (FS series). 360° rotation, no stops and not spring loaded. Fixing hole centres @ 44.5mm.							
		A	B	C	D	E	F	G	H
<b>4243/002</b>		<b>Weight 350g/12.3oz</b>							
METRIC	(mm)	112	56.0	131	14.0	18.0			
IMPERIAL	(ins)	4.41	2.21	5.16	0.55	0.71			



		<b>LEVER HANDLE</b>							
		Chrome plated, 8mm follower, c/w fixing gasket. Locking versions with 4 stations and random keyed. 360° rotation, no stops and not spring loaded.							
		A	B	C	D	E	F	G	H
<b>2280/001</b>		<b>38mm centres</b>			<b>Weight 280g/10oz</b>				
		Non-locking							
<b>2280/002</b>		<b>38mm centres</b>			<b>Weight 280g/10oz</b>				
		locking							
<b>2280/003</b>		<b>44.5mm centres</b>			<b>Weight 290g/10.2oz</b>				
		locking							
METRIC	(mm)	112	52	115	7	16			
IMPERIAL	(ins)	4.41	2.05	4.53	0.28	0.63			



2280/001



4229/001

		A	B	C	D	E	F	G	H
<b>4229/001</b>		<b>44.5mm centres</b>				<b>Weight 300g/10.6oz</b>			
		Non-locking							
<b>4229/002</b>		<b>38mm centres</b>				<b>Weight 310g/11oz</b>			
		locking, random keys							
<b>4229/003</b>		<b>44.5mm centres</b>				<b>Weight 310g/11oz</b>			
		locking, random keys							
<b>4229/401</b>		<b>44.5mm centres</b>				<b>Weight 310g/11oz</b>			
		locking, keyed alike							
METRIC (mm)		115	52	97	4	16			
IMPERIAL (ins)		4.53	2.05	3.82	0.16	0.63			



		A	B	C	D	E	F	G	H
<b>4218/001</b>		<b>Weight 260g/9.2oz</b>							
METRIC (mm)		40	110	18	17	94	5		
IMPERIAL (ins)		1.57	4.33	0.71	0.67	3.7	0.2		



		A	B	C	D	E	F	G	H
<b>4223/101</b>		<b>Weight 230g/8oz</b>							
METRIC (mm)		43	100	15	10	60	5		
IMPERIAL (ins)		1.69	3.94	0.59	0.39	2.36	0.2		
<b>4222/606</b>		<b>Fixing gasket</b>							

**Tee Handles**