

		C	ØA	B	H	G				
		<p>SERIES 500 FEMALE DOOR RETAINER</p> <p>Polished stainless steel face-plate with a stainless steel release catch and spring encased by black, nylon 66 moulded body.</p>								
		A	B	C	D	E	F	G	H	
0500/004	Ext. & Int. release	Weight 120g/4.2oz								
	METRIC (mm)	63	18	5	26	40	6	7	35	
	IMPERIAL (ins)	2.50	0.71	0.20	1.02	1.58	0.24	0.28	1.38	
0500/005	Ext. release	Weight 110g/3.9oz								
	METRIC (mm)	63	18	5	26	40	6	7		
	IMPERIAL (ins)	2.50	0.71	0.20	1.02	1.58	0.24	0.28		

		A	B	C	D	E	F	G	H	
		<p>SERIES 500 MALE DOOR RETAINER</p> <p>Spring loaded striker pin encased in black, nitrile bellows with an integral black nylon 66 impact washer.</p>								
0500/003		Weight 50g/1.8oz								
	METRIC (mm)	45	38	12.5	23	M6				
	IMPERIAL (ins)	1.77	1.50	0.50	0.91					



		A	B	C	D	E	F	G	H	
		<p>RECESSED DOOR RETAINER</p> <p>Black powder-coated face plate with a black copolymer acetal body and striker/ejector pad. Complete with hardened steel jaws. Supplied with striker pin (see below).</p>								
0498/001		Weight 190g/6.7oz								
	METRIC (mm)	124	42	10	22	33	32	60	5.5	
	IMPERIAL (ins)	4.98	1.65	0.39	0.87	1.30	0.26	2.36	0.22	

		A	B	C	D	E	F	G	H	
		<p>STRIKER PIN</p> <p>For use with 0498/001. Zinc plated, hardened steel.</p>								
Supplied with 0498/001		Weight 60g/2.1oz								
	METRIC (mm)	47	28	6	15	M8				
	IMPERIAL (ins)	1.85	1.10	0.24	0.59					

RUBBER DOOR HOLDER	
Female	Moulded-in steel fixing plate with plain or tapped M6 hole.
Male	Polypropylene with recessed hexagon to take M6 bolt.
Dims.	Female = 35mm (1.38") x Ø40mm (1.57") Male = 27mm (1.06") x Ø25mm (1")



The figures given below are for guidance only, as large variations occur due to ambient conditions and applications.

MALE/FEMALE	RUBBER TYPE	FIXING HOLE TYPE	MINIMUM LOAD	TYPICAL LOAD	PART NUMBER
Female	Hard (black)	Plain	20kg	25kg	0666/001
Female	Soft (black)	Plain	3kg	10kg	0774/001
Female	Soft (black)	Tapped, M6	3kg	10kg	0775/001
Female	Soft (blue)	Plain	3kg	8kg	0776/001
Female	Hard (black)	Tapped, M6	20kg	25kg	0777/001
Female	Soft (blue)	Tapped, M6	3kg	8kg	0778/001
Male	Polypropylene	Common to all females			0666/002

MAGNETIC CATCH

Push fit.
4 magnets encased in a polypropylene moulding.
NB: dimensions D & E represent cut out apertures.

	A	B	C	D	E	F	G	H
0538/3674	Black (15kg pull force)		Weight 30g/1.1oz					
METRIC (mm)	54.0	16.0	1.50	51.5	10.8	12.5		
IMPERIAL (ins)	2.13	0.63	0.06	2.03	0.43	0.49		
0538/4015	White (5kg pull force)		Weight 10g/0.4oz					
METRIC (mm)	39.5	13.0	1.00	35.0	8.20	10		
IMPERIAL (ins)	1.56	0.51	0.04	1.38	0.32	0.39		



Top: 0538/3674

Bottom: 0538/4015

DOOR PROP

Spring loaded mechanism.
304 grade stainless steel through-out.

	A	B	C	D	E	F	G	H
1231/0010	Weight 500g/1.1lb							
METRIC (mm)	350	326	5	330	7	19	7	
IMPERIAL (ins)	13.8	12.8	0.20	13.0	0.26	0.75	0.28	



STAINLESS STEEL




304
STAINLESS
STEEL

		A	B	C	D	E	F	G	H
2132/1000		Weight 230g/8.1oz							
METRIC (mm)		64.0	19.0	40.0	29.0	5.00	4.30		
IMPERIAL (ins)		2.52	0.75	1.58	1.14	0.20	0.17		



		A	B	C	D	E	F	G	H
2132/003		Male		Weight 80g/2.8oz					
2132/004		Female		Weight 150g/5.3oz					
METRIC (mm)		67	67	26	5.5	44	4.5	26	
IMPERIAL (ins)		2.64	2.64	1.02	0.22	1.73	0.18	1.02	



Top left: 0555/001
Bottom left: 0555/002

Right: 0556/001

		A	B	C	D	E	F	G	H
0556/001		Complete assembly		Weight 50g/1.8oz					
METRIC (mm)		65	65	29	4.5	43	4.5	29	
IMPERIAL (ins)		2.56	2.56	1.14	0.18	1.70	0.18	1.14	

		A	B	C	D	E	F	G	H
0555/001		Female, white		Weight 20g/0.7oz					
0555/002		Male, white		Weight 20g/0.7oz					
0555/003		Male, black		Weight 20g/0.7oz					
0555/004		Female, black		Weight 20g/0.7oz					
METRIC (mm)		57	67	25.4	5.5	41	5.5		
IMPERIAL (ins)		2.24	2.64	1.00	0.22	1.61	0.22		

		DOOR RETAINER HOOK							
		Wire hook for use with 0541/002 retainer. Pressed 304 stainless steel.							
		A	B	C	D	E	F	G	H
0541/001		Weight 70g/2.5oz							
METRIC (mm)		101	44.0	76.0	59.0	26.0	5.00		
IMPERIAL (ins)		3.98	1.73	2.99	2.32	1.02	0.20		
0541/003		Plastic back-plate		Weight 10g/0.4oz					
		For use with 0541/001 and 0541/002.							



		DOOR RETAINER CATCH PLATE							
		Hook retainer for use with 0541/001 wire hook. Pressed 304 stainless steel.							
		A	B	C	D	E	F	G	H
0541/002		Weight 50g/1.8oz							
METRIC (mm)		18.0	44.0	76.0	59.0	26.0	5.00		
IMPERIAL (ins)		0.71	1.73	2.99	2.32	1.02	0.20		

		DOOR RETAINER HOOK							
		Spring loaded. Pressed stainless steel. For use with 9810/3370 retainer.							
		A	B	C	D	E	F	G	H
9810/3350		Hook		Weight 60g/2.1oz					
METRIC (mm)		93.0	40.0	66.0	50.0	24.0	5.00		
IMPERIAL (ins)		3.66	1.58	2.60	1.97	0.95	0.20		
9810/3390		Plastic back-plate		Weight 10g/0.4oz					
		For use with 9810/3350 and 9810/3370.							



		DOOR RETAINER CATCH PLATE							
		Pressed stainless steel. For use with 9810/3350 hook.							
		A	B	C	D	E	F	G	H
9810/3370		Weight 30g/1.1oz							
METRIC (mm)		12.0	40.0	66.0	50.0	24.0	5.00		
IMPERIAL (ins)		0.47	1.58	2.60	1.97	0.95	0.20		



		A	B	C	D	E	F	G	H
DOOR RETAINER HOOK		Zinc-plated, cast, malleable iron hook with a zinc plated, pressed steel back-plate.							
0550/001		Weight 160g/5.7oz							
METRIC	(mm)	105	45	77	59	25.4	5.5		
IMPERIAL	(ins)	4.13	1.77	3.03	2.32	1.00	0.22		
0553/001		Weight 200g/7.1oz							
METRIC	(mm)	155	45	77	59	25.4	5.5		
IMPERIAL	(ins)	6.10	1.77	3.03	2.32	1.00	0.22		

		A	B	C	D	E	F	G	H
DOOR RETAINER CATCH PLATE		Zinc-plated, pressed steel. For use with 0550/001 & 0553/001.							
0554/001		Without spring				Weight 80g/2.8oz			
0551/001		With spring							
METRIC	(mm)	18	45	77	59	25.4	5.5		
IMPERIAL	(ins)	0.71	1.77	3.03	2.32	1.00	0.22		



CABIN HOOK									
2682/106	Black japanned	Weight 150g/5.3oz							
			152.4mm (6") hook complete with retainer.						
2682/108	Black japanned	Weight 160g/5.7oz							
			203mm (8") hook complete with retainer.						



		A	B	C	D	E	F	G	H
TROMBONE DOOR RETAINER		Zinc plated steel. Extension of 300mm (11.8")							
0835/002		Left hand (shown)				Weight 2.5kg/5.5lb			
0835/003		Right hand							
METRIC	(mm)	325	55	42	8	465	350	25	14
IMPERIAL	(ins)	12.8	2.17	1.65	0.32	18.3	13.8	0.98	0.55

		A				B				C				D				E				F				G				H			
		2053/190				Polished Chrome				Weight 1.2kg/2.7lb																							
		2053/193				'Tuffkote'				Weight 1.2kg/2.7lb																							
<i>METRIC (mm)</i>		262				71.4				56				158				57.2				77.8				52.4				6.8			
<i>IMPERIAL (ins)</i>		10.3				2.81				2.21				6.22				2.25				3.06				2.06				0.27			



		A				B				C				D				E				F				G				H			
		2053/191				Polished Chrome				Weight 320g/11.3oz																							
		2053/194				'Tuffkote'				Weight 320g/11.3oz																							
<i>METRIC (mm)</i>		75				52				44				55.6				28.6				6.8				48							
<i>IMPERIAL (ins)</i>		2.95				2.05				1.73				2.19				1.13				0.27				1.89							

		A				B				C				D				E				F				G				H			
		2053/192				Panic release button				Weight 320g/11.3oz																							
<i>METRIC (mm)</i>		220				56				56				76				12.5				3.0				40							
<i>IMPERIAL (ins)</i>		8.66				2.20				2.20				2.99				0.49				0.12				1.58							




MEDIUM DUTY

REFRIGERATOR DOOR LOCK									
<p>Slam action. Supplied complete with a striker suitable for flush fitting door, and panic release button. The latch mechanism consists of a high pressure, zinc die-casting with a highly polished chrome finish. Lockable (keyed alike) via integral key cylinder with two keys supplied or via padlock (not supplied). Non shuttered key barrel, intended for internal use only.</p>									
	A	B	C	D	E	F	G	H	
2053/135	Complete assembly				Weight 1.8kg/4lb				
METRIC (mm)	270	69	50	157	56	78	52	6.2	
IMPERIAL (ins)	10.63	2.72	1.97	6.18	2.21	3.07	2.05	0.24	

ADJUSTABLE ROLLER STRIKER									
<p>Striker suitable for flush fitting door. High-pressure, zinc die-casting with a highly polished chrome finish.</p>									
	A	B	C	D	E	F	G	H	
Striker									
METRIC (mm)	72	50	40	56	28	6.2	50		
IMPERIAL (ins)	2.84	1.97	1.58	2.21	1.10	0.24	1.97		

PANIC RELEASE BUTTON									
<p>Facilitates opening from inside regardless of locking mechanism, ie, keys or padlock. Luminous button with a stainless steel fixing flange. Stainless steel spring housed within a rubber bellows.</p>									
	A	B	C	D	E	F	G	H	
Panic release button									
METRIC (mm)	264	94	56	78	12.5	1.0			
IMPERIAL (ins)	10.39	3.70	2.21	3.07	0.49	0.04			



PLANT-ON OVERCENTRE LATCH									
<p>Die-cast with a black, powder coated finish. Action pulls-in on closing and ejects on opening.</p>									
	A	B	C	D	E	F	G	H	
9341/004	Latch				Weight 480g/1.1lb				
METRIC (mm)	126	32	52	52	22	33	22	22	
IMPERIAL (ins)	4.96	1.26	2.05	2.05	0.87	1.30	0.87	0.87	
9341/005	Keeper				Weight 20g/0.7oz				

DOOR & WINDOW FITTINGS